	Application No.	Applicant(s)	
Nation of Allowskiller	10/644,454	KHANNA, SANDEEP	
Notice of Allowability	Examiner	Art Unit	/
	Ly D Pham	2818	pr
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this applyon or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due c	d course. THIS
1. This communication is responsive to 13 September 2004 a	and 03 October 2004.		
2. \boxtimes The allowed claim(s) is/are <u>22-27,29 and 30</u> .			
3. $igotimes$ The drawings filed on <u>19 August 2003</u> are accepted by the	Examiner.		
 4. Acknowledgment is made of a claim for foreign priority unally all bloome* closed None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN 	e been received. e been received in Application No cuments have been received in this of this communication to file a reply	national stage applicati	
 THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent APPLICATION (PTO-152) which give 			OTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") musical including changes required by the Notice of Draftspers 1) hereto or 2 hereto or 2. To Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet in the same paper in the	son's Patent Drawing Review (PTO s Amendment / Comment or in the C	Office action of ngs in the front (not the	back) of
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT . 	osit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	nust be submitted. N AL MATERIAL.	ote the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/6	5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☑ Examiner's Amendi	(PTO-413), te)-152)
Paper No./Mail Date4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	ent of Reasons for Allov	wance
of Biological Material	9. Other		
	1/		•
David Nelms			
Supervisory Patent Examiner			
Technology Center 2800			

Application/Control Number: 10/644,454 Page 2

Art Unit: 2818

DETAILED ACTION

1. Applicant's Amendment filed September 13, 2004 has been entered. Claims 1 – 21 and 31 – 53 have been cancelled. Claims 22 – 27 and 30 have been amended to include the allowable subject matter indicated in the Office Action mailed in April 19, 2004.

2. This application is in condition for allowance, except for the following formal matter.

EXAMINER'S AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Daniel E. Ovanezian (reg. no. 41,236) on October 5, 2004.

The application has been amended as follows:

- i. Replace claim 27 with the following:
 - 27. An apparatus, comprising:

a content addressable memory (CAM) array;

a clocked circuit coupled to the CAM array; and

a programmable delay circuit coupled to receive a reference clock signal and generate a programmable delayed clock signal using a delay element for the

Application/Control Number: 10/644,454

Art Unit: 2818

clocked circuit, wherein the CAM array comprises a plurality of rows of CAM cells each having a corresponding match line for carrying a match signal indicative of whether comparand data matches data of the corresponding row of CAM cells, wherein the clocked circuit comprises an encoder circuit coupled to the matched lines and the programmable delay circuit.

Page 3

- ii. Cancel claim 28.
- iii. In claim 29, replace 'The apparatus of claim 28...' with 'The apparatus of claim 27'.

Allowable Subject Matter

4. Claims 22 - 27 and 29 - 30 are allowed.

Conclusion

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 6. A shortened statutory period for response to this action is set to expire 3 (three) months and 0 (zero) day from the date of this letter. Failure to respond within the period for response will cause the application to become abandoned (see MPEP 710.02(b)).

Application/Control Number: 10/644,454

Art Unit: 2818

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ly D Pham whose telephone number is 571-272-1793. The

examiner can normally be reached on Mon-Fri, 8:30am - 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on 571-272-1787. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

Ly Pham October 5, 2004

David Nelms Supervisory Patent Examiner Technology Center 2800 Page 4